ELSEVIER

Volume 231, Numbers 1–2, 15 December 1995

Journal of ALLOYS AND COMPOUNDS

Contents

Preface v

The Role of Hydrogen in Materials Processing

A possible role for hydrogen-induced lattice migration in alloy materials processing 1
T.B. Flanagan, H. Noh (Burlington, VT, USA)

Hydrogen-induced segregation in Pd–Pt alloys 10
H. Noh, T.B. Flanagan (Burlington, VT, USA), Y. Sakamoto (Nagasaki, Japan)

Hydrogen-induced suppression of phase transitions in Pd–rare earth alloys 15
Y. Sakamoto, K. Takao (Nagasaki, Japan), T.B. Flanagan (Burlington, VT, USA)

Hydrogen-induced amorphization of intermetallics 20
K. Aoki, T. Masumoto (Sendai, Japan)

Hydrogen-induced amorphization of titanium-based intermetallic compounds with the $D0_{19}$ structure 29
K. Mori, K. Aoki, T. Masumoto (Sendai, Japan)

Formation of superabundant vacancies in metal hydrides at high temperatures 35
Y. Fukai (Tokyo, Japan)

Agglomeration of hydrogen-induced vacancies in nickel 41
H. Osono, T. Kino (Hiroshima, Japan), Y. Kurokawa, Y. Fukai (Tokyo, Japan)

High-pressure studies of high-concentration phases of the Ti–H system 46
K. Nakamura, Y. Fukai (Tokyo, Japan)

Some applications of hydrogenation–decomposition–desorption– recombination (HDDR) and hydrogen–decrepitation (HD) in metals processing 51
T. Takeshita (Omiya, Japan)

Microstructural evolutions during HDDR phenomena in $Sm_2Fe_{17}N_x$ compounds 60
M. Okada, K. Saito, H. Nakamura, S. Sugimoto, M. Homma (Sendai, Japan)

Hydrogen-induced structural changes of Fe_2Ce alloys 66
E.H. Büchler, M. Hirscher, H. Atsumi, H. Kronmüller (Stuttgart, Germany)

Hydrogen diffusion in $DyFe_2$ and its effect on magnetic properties 71
H. Atsumi, M. Hirscher, E.H. Büchler, J. Mössinger, H. Kronmüller (Stuttgart, Germany)

Influence of the preparation conditions of titanium hydride and deuteride $TiH_x(D_x)$ ($X \approx 2.00$) on the specific heat around the δ–ε transition 78
J.F. Fernández, F. Cuevas, M. Algueró, C. Sánchez (Madrid, Spain)

Crystal Structure and Vibration

Crystal structure of multiphase alloys $(Zr,Ti)(Mn,V)_2$ 85
J. Huot, E. Akiba (Ibaraki, Japan), Y. Ishido (Saitama, Japan)

Structural studies of a new Laves phase alloy $(Hf,Ti)(Ni,V)_2$ and its very stable hydride 90
E. Rönnebro, D. Noréus (Stockholm, Sweden), T. Sakai (Osaka, Japan), M. Tsukahara (Aichi, Japan)

Characterization of the structure of $TbD_{2.25}$ at 70 K by neutron powder diffraction 95
Q. Huang (Gaithersburg and College Park, MD, USA), T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), J. Schefer (Villigen, Switzerland), I.S. Anderson (Grenoble, France)

Neutron diffraction study of YMn_2D_x deuterides ($1 \leq x \leq 3.4$) 99
M. Latroche, V. Paul-Boncour (Meudon, France), J. Przewoznik (Cracow, Poland), A. Percheron-Guégan (Meudon, France), F. Bourée-Vigneron (Gif sur Yvette, France)

Elsevier Science S.A.

Crystal structure of γ-phase $RCo_3H_{\sim 4}$ hydrides 104
M.I. Bartashevich, A.N. Pirogov, V.I. Voronin (Ekaterinburg, Russian Federation), T. Goto (Tokyo, Japan), M. Yamaguchi, I. Yamamoto (Yokohama, Japan)

Neutron powder diffraction study of deuterium ordering in β phase Pd–D at low temperatures 108
E. Wu (Brisbane, Australia), S.J. Kennedy (Menai, Australia), E.H. Kisi (Newcastle, Australia), E.M.A. Gray (Brisbane, Australia), B.J. Kennedy (Sydney, Australia)

Low temperature states in the β-CeH_{2+x} phase 115
I.G. Ratishvili (Tbilissi, Georgia), P. Vajda (Palaiseau, France), N.Z. Namoradze (Tbilissi, Georgia)

Neutron scattering study of deuterium short-range order in VD_x 121
U. Knell, H. Wipf, G. Lautenschläger, R. Hock, H. Weitzel (Darmstadt, Germany), R.R. Arons, E. Ressouche (Grenoble, France)

Neutron diffraction study on the short-range order in a $VD_{0.81}$ single crystal 126
Y. Sugizaki, S. Yamaguchi (Sendai, Japan)

An ion channeling study of V_2D crystals 132
S. Yamaguchi, K. Takahiro, S. Nagata, Y. Fujino (Sedai, Japan), H. Naramoto (Takasaki, Japan), K. Ozawa (Tokai, Japan)

Neutron spectroscopic comparison of β-phase rare earth hydrides 138
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), I.S. Anderson (Grenoble, France)

Low-energy vibrations and octahedral site occupation in $Nb_{95}V_5H(D)_y$ 144
T.J. Udovic, J.J. Rush (Gaithersburg, MD, USA), R. Hempelmann (Saarbrücken, Germany), D. Richter (Jülich, Germany)

Electronic Structure

Electronic structure of perovskite-derived hydrides 147
E. Orgaz, M. Gupta (Orsay, France)

The electronic structure of the hydrogen solid solution in Ti_3P 153
T. Larsson, B. Noläng, Y. Andersson (Uppsala, Sweden)

Electronic structure of metal hydrides studied by high field magnetization 159
M. Yamaguchi, I. Yamamoto (Yokohama, Japan), M.I. Bartashevich (Ekaterinburg, Russia), H.A. Katori, T. Goto (Tokyo, Japan)

Measurement of the perturbation of the crystal electric field at Pr^{3+} in $PrNi_5$ next to a single hydrogen like interstitial . . 164
R. Feyerherm, A. Amato (Villigen, Switzerland), A. Grayevsky (Jerusalem, Israel), F.N. Gygax (Villigen, Switzerland), N. Kaplan (Jerusalem, Israel), A. Schenck (Villigen, Switzerland)

Electric and Magnetic Properties

Hydrogen ordering and metal–semiconductor transitions in superstoichiometric rare earth dihydrides 170
P. Vajda (Palaiseau, France)

Electrical transport properties of $ZrFe_{2-x}Cr_xH_y$ 176
Y.S. Choi, D.J. Lee, Y.W. Park (Seoul, South Korea)

Relationships between the electrical resistivity and the metal hydride phases 182
F. Ishikawa, H. Tega, I. Yamamoto, M. Yamaguchi (Yokohama, Japan)

Magnetic properties of the $R_2Fe_{17}H_x$ series 188
D. Fruchart, O. Isnard, S. Miraglia, J.-L. Soubeyroux (Grenoble, France)

Influence of hydrogen on the structural and magnetic properties of the $RFe_{10.5}Mo_{1.5}$ compounds (R=rare earth) 195
E. Tomey (Grenoble, France and Zaragoza, Spain), M. Bacmann, D. Fruchart, J.L. Soubeyroux, D. Gignoux (Grenoble, France)

Magnetic properties of the hydrides based on R–Fe compounds 201
K. Matsuda, M. Yamaguchi, I. Yamamoto (Yokohama, Japan), H.A. Katori, T. Goto (Tokyo, Japan), M.I. Bartashevich (Ekaterinburg, Russia)

Chemical equilibrium of the ferromagnetic $LaCo_5$–H system in strong magnetic fields 205
I. Yamamoto, M. Yamaguchi (Yokohama, Japan), T. Goto (Tokyo, Japan), S. Miura (Sendai, Japan)

Diffusion (Theory)

Low-temperature quantum diffusion of light particles in solids 208
T. Regelmann (Kyoto, Japan), L. Schimmele (Stuttgart, Germany)

Quantum aspects of hydrogen motion in niobium at high temperatures 214
B. von Sydow, G. Wahnström (Göteborg, Sweden), Y. Li (Ames, IA, USA)

Diffusion (NMR and Neutron Scattering)

Pulsed-field-gradient nuclear magnetic resonance studies of hydrogen diffusion in Laves-phase hydrides 220
G. Majer, W. Renz, A. Seeger (Stuttgart, Germany), R.G. Barnes, J. Shinar (Ames, IA, USA), A.V. Skripov (Ekaterinburg, Russia)

^{1}H NMR study of local structure and proton dynamics in β-$Ti_{1-y}V_yH_x$ 226
T. Ueda, S. Hayashi (Ibaraki, Japan)

Nuclear magnetic resonance study of the phase transitions in TiH_2 and TiD_2 233
Z.I. Kudabaev (Bishkek, Kyrgyzstan), D.R. Torgeson (Ames, IA, USA), A.F. Shevakin (Moscow, Russia)

NMR spectral density functions for disordered metal–hydrogen systems 238
C.J. Girard, C.A. Sholl (Armidale, Australia)

Neutron quasi-elastic scattering measurements of hydrogen diffusion in the $NiZr_2$ intermetallic phase 243
M. Asif, R.L. Havill, J.M. Titman (Sheffield, UK), B. Frick (Grenoble, France)

Diffusion (μSR)

Dynamics of μ^+ in Sc and ScH_x 248
F.N. Gygax, A. Amato, R. Feyerherm, A. Schenck (Villigen, Switzerland), I.S. Anderson (Grenoble, France), T.J. Udovic (Gaithersburg, MD, USA), G. Solt (Villigen, Switzerland)

Trapping of positive muons in molybdenum 252
O. Hartmann, M. Ekström, S.W. Lidström, E. Karlsson (Uppsala, Sweden)

Muon spin relaxation and hydrogen diffusion in the HfV_2 Laves phase 255
M. Kemali (Salford, UK), R.L. Havill, J.M. Titman (Sheffield, UK), D.K. Ross (Salford, UK)

Muon spin relaxation in the C15 Laves compounds TaV_2 and TaV_2H_1 259
M. Kemali (Salford, UK), P.R. Stonadge (Warrington, UK), D.K. Ross (Salford, UK), S.M. Bennington (Oxon, UK)

Muon spin relaxation in hydrogen loaded amorphous alloys 262
X. Zhang, M. Kemali, R.L. Havill, J.M. Titman (Sheffield, UK)

Diffusion (Internal Friction)

Hydrogen diffusion in nanocrystalline, mesoscopic, and microcrystalline heterogeneous alloys 267
M. Hirscher, J. Mössinger, H. Kronmüller (Stuttgart, Germany)

Hopping and tunnelling of D trapped by substitutional Zr in Nb single crystals 274
G. Cannelli (Arcavacata di Rende, Italy), R. Cantelli, F. Cordero, F. Trequattrini (Roma, Italy), H. Schultz (Stuttgart, Germany)

Stress-induced reorientation of oxygen–hydrogen pairs in a $Ta_{75}Nb_{25}$ alloy 279
B. Coluzzi, A. Biscarini, R. Campanella, F.M. Mazzolai (Perugia, Italy)

Correlations of phase relationships of metal–hydrogen systems with internal friction phenomena 287
F.A. Lewis, R.-A. McNicholl (Belfast, UK), X.Q. Tong (Birmingham, UK), Y. Sakamoto (Nagasaki, Japan), A. Biscarini, B. Coluzzi, C. Costa, F.M. Mazzolai (Perugia, Italy)

Diffusion (Permeation)

Ion-driven permeation of hydrogen through surface-coated iron 291
Y. Hayashi, W.M. Shu, T. Shiraishi, M. Masuda (Fukuoka, Japan)

Hydrogen diffusion studies of microcrystalline and crystalline $LaNi_{3.94}Si_{0.54}$ films 297
Z. Zhou, J. Huang, W. Hu, F. Yao, Y. Zhang (Tianjin, China)

The science and application of modulated permeation experiments 302
A.K. Altunoglu, N.S.J. Braithwaite (Oxford, UK)

Films and Multilayers

Hydrogen-charging of Nb/Fe multilayers 307
D. Nagengast, J. Erxmeyer, F. Klose, Ch. Rehm, P. Kuschnerus, G. Dortmann, A. Weidinger (Berlin, Germany)

Analysis of hydrogen in Nb/Cu multilayers using ion beams 310
S. Yamamoto, P. Goppelt-Langer, H. Naramoto, Y. Aoki, H. Takeshita (Gunma, Japan)

Hydrogen permeation through PECVD (plasma-enhanced chemical vapor deposition) TiO_2 film on Pd by the time lag method 315
S.-I. Pyun, J.-W. Park, Y.-G. Yoon (Daejon, South Korea)

Amorphous Materials and Nanocrystals

Electrochemical pressure–composition isotherms for amorphous $Ni_{1-x}Zr_x$ alloys 321
L.K. Varga, A. Lovas, K. Tompa (Budapest, Hungary), M. Latroche, A. Percheron-Guegan (Meudon, France)

Proton nuclear magnetic resonance and H-site occupancy in $Zr_{0.5}Ni_{0.5-y}Cu_yH_x$ metallic glasses 325
G. Lasanda, K. Tompa, C. Hargitai, P. Bánki, I. Bakonyi (Budapest, Hungary)

Susceptibility and proton line shift of $Zr_{0.33}Ni_{0.67}$–H_X alloys 330
K. Tompa, P. Bánki, G. Lasanda, L.K. Varga (Budapest, Hungary)

High temperature hydrogen diffusion in $Zr_{0.33}Ni_{0.67}$–H_X amorphous alloys 334
J. Tóth, K. Tompa, A. Lovas, P. Bánki (Budapest, Hungary)

Hydrogen-induced internal friction in nanocrystalline palladium 337
B. Kappesser, U. Stuhr, H. Wipf (Darmstadt, Germany), J. Weißmüller, C. Klos, H. Gleiter (Saarbrücken, Germany)

Atomistic calculations of hydrogen loading in palladium 343
M.W. Lee, R.J. Wolf (Aiken, SC, USA), J.R. Ray (Clemson, SC, USA)

Surface Science and Engineering

SIMS investigations on the system $NbH_n(D_n)$ $(0<n<1)$ 347
H. Züchner, T. Brüning (Münster, Germany)

The study of hydrogen segregation on Zr(0001) and Zr$(10\bar{1}0)$ surfaces by static secondary ion mass spectroscopy, work function, Auger electron spectroscopy and nuclear reaction analysis 354
C.-S. Zhang, B. Li, P.R. Norton (London, Canada)

Influence of surface metal-hydride on the spin conversion of hydrogen molecules 364
Yu.F. Shaml'ko (Karkov, Ukraine), Yu.J. Milenko, L.V. Karnatsevich (Kharkov, Ukraine)

The incipient kinetics of hydride growth on cerium surfaces 368
M. Brill, J. Bloch, D. Shmariahu, M.H. Mintz (Beer Sheva, Israel)

Surface properties of the fluorinated calcium-based AB_5 alloys 376
X.-L. Wang, H. Hagiwara, S. Suda (Tokyo, Japan)

Surface characteristics of fluorinated hydriding alloys 380
X.-L. Wang, S. Suda (Tokyo, Japan)

Surface properties of the F-treated ZrTiVNi alloy 387
D.-Y. Yan, Y.-M. Sun, S. Suda (Tokyo, Japan)

Surface and metallographic microstructure of the La-added AB_2 compound (Ti, Zr)(Mn, Cr, Ni)$_2$ 392
F.-J. Liu, G. Sandrock, S. Suda (Tokyo, Japan)

A study of the surface composition and structure of fluorinated Mg-based alloys 397
X.-L. Wang, N. Haraikawa, S. Suda (Tokyo, Japan)

Effect of surface contamination on the hydriding behaviors of $LaNi_{4.5}Al_{0.5}$, $LaNi_{2.5}Co_{2.5}$ and $LaNi_{4.5}Mn_{0.5}$ 403
H. Uchida, S. Seki, S. Seta (Kanagawa, Japan)

A method for improving the long-term storability of hydriding alloys by air/water exposure 411
F.-J. Liu, S. Suda (Tokyo, Japan)

Effects of zirconium on the surface structures of the fluorinated hydrogen-absorbing alloys 417
Y.-M. Sun, S. Suda (Tokyo, Japan)

Pressure–Temperature–Composition Relations

An apparatus for gravimetric analysis: its application to metal–hydrogen systems 422
M. Bououdina, J.L. Soubeyroux, P. Juen, C. Mouget, R. Argoud, D. Fruchart (Grenoble, France)

Intermetallic hydrides: (I) investigation of the rate of phase transformation 427
H.Y. Cai, P. Millet, P. Dantzer (Orsay, France)

Study of the pressure composition of the HfV_2–H_2 system 434
M. Kemali, C.E. Buckley (Salford, UK), R.L. Havill (Sheffield, UK), D.K. Ross (Salford, UK), J.M. Titman (Sheffield, UK), M. Mercer (Salford, UK)

Hydrogen absorption characteristics of Pd–Cr and Pd–Mo solid solution alloys 436
M. Ura, Y. Haraguchi, F.L. Chen, Y. Sakamoto (Nagasaki, Japan)

Structural and thermodynamic properties of the deuterium–palladium solid solutions systems: D_2-[Pd(Pt), Pd(Rh), Pd(Pt, Rh)] 440
S. Thiebaut (Bruyères-le-Chatel and Meudon, France), A. Bigot, J.C. Achard (Meudon, France), B. Limacher, D. Leroy (Bruyères-le-Chatel, France), A. Percheron-Guegan (Meudon, France)

Hydrogen solubility in $LaNi_5$ 448
S. Seta, H. Uchida (Kanagawa, Japan)

Fermi energy effects on absorption of hydrogen in $LaNi_5$ and $LaCo_5$ alloys 454
K. Yasuda, H. Brodowsky (Kiel, Germany)

Stability of the hydrogen absorption and desorption plateaux in $LaNi_5$–H. Part 4: thermal history effects 460
C.E. Buckley, E.M. Gray (Brisbane, Australia), E.H. Kisi (Newcastle, Australia)

Thermodynamic studies of the $LaNi_{5-x}Sn_x$–H system from $x = 0$ to 0.5 467
S. Luo, W. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), L.A. Wade (Pasadena, CA, USA)

Thermodynamic and degradation studies of $LaNi_{4.8}Sn_{0.2}$–H using isotherms and calorimetry 473
S. Luo, W. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA), R.C. Bowman, Jr. (Asuza, CA, USA)

Thermodynamic particularities of some $CeNi_5$-based metal hydride systems with high dissociation pressure 479
S.N. Klyamkin, V.N. Verbetsky, A.A. Karih (Moscow, Russia)

Study of hydrogen storage in Mg_2Ni by thermal desorption spectrometry 483
H. Itoh, O. Yoshinari, K. Tanaka (Nagoya, Japan)

Hydrogen solubility limits in Excel, an experimental zirconium-based alloy 488
D. Khatamian (Chalk River, Canada), Z.L. Pan, M.P. Puls, C.D. Cann (Pinawa, Canada)

Hydrogen absorption properties of several intermetallic compounds of the Zr–Ni system 494
J.M. Joubert, M. Latroche, A. Percheron-Guégan (Meudon, France)

Equilibria in the hydrogen–intermetallics systems with high dissociation pressure 498
V.Z. Mordkovich (Kawasaki, Japan), Yu.K. Baichtok, N.V. Dudakova, E.I. Mazus, V.P. Mordovin (Moscow, Russia)

Hydrogen solubility in zirconium alloys 503
S. Yamanaka, K. Higuchi, M. Miyake (Osaka, Japan)

The relation between microstructure and hydrogen absorbing property in Laves phase–solid solution multiphase alloys . 508
H. Iba (Aichi, Japan), E. Akiba (Ibaraki, Japan)

H_2 Absorbing–desorbing characterization of the Ti–V–Fe alloy system 513
K. Nomura, E. Akiba (Ibaraki, Japan)

Thermodynamic properties and the degradation of $ZrNiH_x$ at elevated temperatures 518
J.S. Cantrell (Oxford, OH, USA), R.C. Bowman Jr. (Azusa, CA, USA), L.A. Wade (Pasadena, CA, USA), S. Luo, J.D. Clewley, T.B. Flanagan (Burlington, VT, USA)

Hydriding characteristics in $(Ti,Zr)(Ni,Mn,X)_2$ alloys 524
K. Morii, T. Shimizu (Nagoya city, Japan)

Hydrogen absorption properties of Ti–Cr–A (A = V, Mo or other transition metal) B.C.C. solid solution alloys 528
T. Kabutomori, H. Takeda, Y. Wakisaka, K. Ohnishi (Hokkaidou, Japan)

Hydrogen solubility in $PdLi_{0.94}$ and $Pd_2Li_{1.04}$ compounds 533
Y. Sakamoto, R. Nakamura, M. Ura (Nagasaki, Japan)

Electrochemical Properties and Characteristics

Intrinsic behaviour analysis of substituted $LaNi_5$-type electrodes by means of in-situ neutron diffraction 537
M. Latroche, A. Percheron-Guégan (Meudon, France), Y. Chabre (Saint Martin d'Hères, France), J. Bouet (Marcoussis, France), J. Pannetier, E. Ressouche (Grenoble, France)

Second phase and electrode characteristics of rare-earth-based AB_{5+x} alloys 546
H. Cunmao, Z. Yufen, W. Jian (Beijing, People's Republic of China)

Effect of Pr content in Ml on the electrochemical properties of $Ml(Ni–Co–Mn–Al)_5$ alloys 550
Z.H. Chen, M.Q. Lu, Y.L. Wang, Z.Q. Hu (Shenyang, China)

Effect of rare earth composition on the electrochemical properties of multicomponent $RENi_{5-x}M_x$ (M = Co, Mn, Ti) alloys 553
Y. Lei, J. Jiang, D. Sun, J. Wu, Q. Wang (Hangzhou, People's Republic of China)

Kinetics of hydrogen evolution reaction at nonstoichiometric hydrogen storage alloys for nickel-hydrogen batteries . . . 558
C. Iwakura, M. Miyamoto, H. Inoue, M. Matsuoka, Y. Fukumoto (Osaka, Japan)

Electrochemical properties of the non-stoichiometric hydrogen storage alloys for nickel–hydrogen batteries 562
Y. Fukumoto, M. Miyamoto, H. Inoue, M. Matsuoka, C. Iwakura (Osaka, Japan)

Effects of La addition on the electrochemical behavior and F treatment of Zr–Ti–V–Ni alloys 565
D.-Y. Yan, S. Suda (Tokyo, Japan)

The electrochemical charge–discharge properties of Zr–Cr–Ni hydrogen storage alloys 573
L. Yongquan, Y. Xiaoguang, W. Jing, W. Qidong (Zhejiang, People's Republic of China)

The electrochemical properties of hydrogen storage Zr-based Laves phase alloys 578
J.Y. Yu, Y.Q. Lei, C.P. Chen, J. Wu, Q.D. Wang (Hangzhou, People's Republic of China)

Characteristics of the superstoichiometric C15-type Laves phase alloys and their hydride electrodes 582
X. Gao, D. Song, Y. Zhang, Z. Zhou, H. Yang, W. Zhang, P. Shen, M. Wang (Tianjin, People's Republic of China)

Substitution effect of elements in Zr-based alloys with Laves phase for nickel–hydride battery 587
H. Nakano (Shizuoka, Japan), S. Wakao (Tokyo, Japan)

Effects of hydriding–dehydriding cycling on *P–C–T* and electrochemical properties of La–Ca–Ni–Al alloys 594
Z.P. Li, S. Suda (Tokyo, Japan)

Improvement in cycle life performance of high capacity nickel–metal hydride battery 598
H. Kaiya, T. Ookawa (Kanagawa, Japan)

How to achieve long-term electrochemical cycling stability with hydride-forming electrode materials 604
P.H.L. Notten, R.E.F. Einerhand, J.L.C. Daams (Eindhoven, Netherlands)

A mathematical model for the cycle life of hydride electrodes 611
Y.Q. Lei, C.S. Wang, X.G. Yang, H.G. Pan, J. Wu, Q.D. Wang (Hangzhou, People's Republic of China)

The $TiV_3Ni_{0.56}$ hydride electrode: its electrochemical and cycle life characterization 616
M. Tsukahara, K. Takahashi, T. Mishima (Aichi, Japan), H. Miyamura, T. Sakai, N. Kuriyama, I. Uehara (Osaka, Japan)

The relation between the discharge capacity and cycling number of mechanically alloyed Mg_xNi_{100-x} amorphous electrode alloys 621
D. Sun, Y. Lei, W. Liu, J. Jiang, J. Wu, Q. Wang (Zhejiang, People's Republic of China)

Electrochemical impedance spectra study of the hydrogen storage electrode 625
H. Yang, Y. Zhang, Z. Zhou, J. Wei, G. Wang, D. Song, X. Cao, C. Wang (Tianjin, People's Republic of China)

Influences of magnetic fields on the electrochemical potential of $GdCo_5H_x$ electrodes 631
M. Fujino, I. Yamamoto, M. Yamaguchi (Yokohama, Japan), T. Goto (Tokyo, Japan), S. Miura (Sendai, Japan)

Low cost AB_5-type hydrogen storage alloys for a nickel–metal hydride battery 635
L. Jiang, F. Zhan, D. Bao, G. Qing, Y. Li, X. Wei (Beijing, People's Republic of China)

Surface Science and Electrochemistry

Electrochemical and surface properties of iron-containing AB_5-type alloys 639
F. Meli, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Surface and bulk properties of the $Ti_yZr_{1-y}(V_xNi_{1-x})_2$ alloy system as active electrode material in alkaline electrolyte . . 645
A. Züttel, F. Meli, L. Schlapbach (Fribourg, Switzerland)

The electrode characteristics and modified surface properties of $V_{0.9}Ti_{0.1}$ alloy sintered with Ni powder 650
D.-M. Kim, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

Kinetics of H(D)–absorption in Pd cathodes 655
M. Algueró, J.F. Fernández, F. Cuevas, C. Sánchez (Madrid, Spain)

Reaction Kinetics

Consistent determination of the intrinsic kinetic properties between hydrogen and hydriding alloys 660
X.-L. Wang, S. Suda (Tokyo, Japan)

F-treatment effect on the hydriding properties of the La-substituted AB_2 compound (Ti, Zr)(Mn, Cr, Ni)$_2$ 666
F.-J. Liu, S. Suda (Tokyo, Japan)

The hydriding and dehydriding kinetics of FeTi and $Fe_{0.9}TiMn_{0.1}$ 670
H.I. Miller, J. Murray, E. Laury, J. Reinhardt, A.J. Goudy (West Chester, PA, USA)

Hydriding behavior of pseudobinary $CaAl_{2-x}M_x$ ($M = B, Si, 0 \leq x \leq 1$) alloys 675
H. Tanaka, H. Miyamura, N. Kuriyama, T. Sakai, I. Uehara (Osaka, Japan)

Effect of KOH pretreatment on the hydriding properties of $LaNi_{2.5}Co_{2.5}$ alloy 679
H.H. Uchida, Y. Watanabe, Y. Matsumura, H. Uchida (Kanagawa, Japan)

Effects of oxidation and hydroxidation on the H_2 reactivities with Ni, Co, Ni–Co and $LaNi_{2.5}Co_{2.5}$ 684
H. Uchida, S. Nakazawa, K. Ishikawa, T. Irisawa (Kanagawa, Japan)

Formation mechanism of MgH_2 at low temperatures in $Ti_{0.6}Zr_{0.4}Mn_{0.8}CrCu_{0.2}$–(Mg + Mg_2Cu) 689
K. Yamamoto, Y. Tsushio, S. Tanioka, T. Shimizu, T. Morishita (Hiroshima, Japan), S. Orimo, H. Fujii (Higashi-Hiroshima, Japan)

F-treatment effect on the initial activation characteristics of Mg–La–Ni amorphous alloys 696
F.-J. Liu, S. Suda (Tokyo, Japan)

Oxides and Exotic Materials

Photo-electrochemical properties of hydrogen in anodically oxidized niobium 702
Y. Hayashi, M. Arita, K. Koga, M. Masuda (Fukuoka, Japan)

Proton conductors of oxide and their application to research into metal–hydrogen systems 706
N. Fukatsu, N. Kurita, T. Yajima, K. Koide, T. Ohashi (Nagoya, Japan)

Hydrogen dissolution into Yb-doped $SrCeO_3$ 713
S. Yamanaka, M. Okada, S. Komatuki, M. Miyake (Osaka, Japan)

Hydrogen uptake by oxidized zirconium alloys 716
M.B. Elmoselhi (Toronto, Canada)

Hydrogen traps in the oxide–alloy interface region of Zr–Nb alloys 722
D. Khatamian (Chalk River, Canada)

Influence of interstitial oxygen on hydrogen solubility in vanadium 730
S. Yamanaka, Y. Kashiwara, M. Miyake (Osaka, Japan)

Magnetoresistance and Hall effect of sodium–hydride–Graphite ternary intercalation compounds 735
T. Enoki, K. Matsutsuji, K. Suzuki (Tokyo, Japan)

Interaction of potassium–graphite intercalation compounds with hydrogen at pressures up to 2000 atm 740
S.N. Klyamkin, V.A. Nalimova, K.N. Semenenko, A.A. Karih (Moscow, Russia)

Hydriding Alloys

Properties and characteristics of fluorinated hydriding alloys 742
F.-J. Liu, S. Suda (Tokyo, Japan)

A new family of hydride electrode materials based on $CaNi_5$-type alloys 751
Z.P. Li, S. Suda (Tokyo, Japan)

Hexagonal ZrNiAl alloy and its hydride (deuteride) with the Fe_2P-type structure 755
M. Yoshida, E. Akiba, Y. Shimojo, Y. Morii, F. Izumi (Ibaraki, Japan)

Phase stability and neutron diffraction studies of Laves phases $Zr(Cr_{1-x}M_x)_2$ with $M = (Cu_{0.5}Ni_{0.5})$ and $0 < x < 0.2$ and their hydrides 760
J.L. Soubeyroux, M. Bououdina, D. Fruchart, P. de Rango (Grenoble, France)

Investigations of interfacial materials design—the effect of interface microstructures in $ZrCr_{1.8}Cu_{0.3}$/Mg on MgH_2 formation as a result of hydrogen interdiffusion 766
S. Orimo, H. Fujii, S. Horie (Higashi-Hiroshima, Japan)

Thermodynamic characterization of new palladium alloy tritides 773
J.S. Hölder, J.R. Wermer (Aiken, SC, USA)

Hydrogen absorption properties of uranium alloys 780
K. Asada, K. Ono (Osaka-fu, Japan), K. Yamaguchi, T. Yamamoto (Ibaraki-ken, Japan), A. Maekawa, S. Oe (Osaka, Japan), M. Yamawaki (Ibaraki-ken, Japan)

The behaviour of hydrogen in Excel alloy 785
C.E. Ells, C.E. Coleman, B.A. Cheadle, S. Sagat, D.K. Rodgers (Chalk River, Canada)

Aging effects in La–Ni–Mn tritides 792
B. Limacher, D. Leroy, C. Arnoux, F. Gaspard (Bruyères-le-Châtel, France)

The influence of tungsten substrates on hydrogen absorption by iodide titanium films 798
F. Cuevas, J.F. Fernández, M. Algueró, C. Sánchez (Madrid, Spain)

Mechanical Alloying

Effect of ball milling on hydrogen absorption properties of FeTi, Mg_2Ni and $LaNi_5$ 804
H. Aoyagi, K. Aoki, T. Masumoto (Sendai, Japan)

Hydriding characteristics of Mg-based composites prepared using a ball mill 810
H. Imamura, N. Sakasai (Ube, Japan)

Mechanical alloying of Mg–Ni compounds under hydrogen and inert atmosphere 815
J. Huot, E. Akiba, T. Takada (Ibaraki, Japan)

The effects of mechanical grinding on the hydrogen storage properties of $MlNi_{4.7}Al_{0.3}$ alloy 820
B.-H. Liu, Z.-P. Li, C.-P. Chen, W.-H. Liu, Q.-D. Wang (Hangzhou, People's Republic of China)

Applications; Material Properties

Catalytic effects of lanthanides in hydrogen-absorbing lanthanide–Co or Ni compounds 824
H. Imamura, Y. Kasuga, K. Yoshimura (Ube, Japan)

Effects of carbon monoxide on the hydriding reactions of the untreated and fluorinated $LaNi_{4.7}Al_{0.3}$ alloys 829
X.-L. Wang, K. Iwata, S. Suda (Tokyo, Japan)

The annealing effect on the durabilities of La-substituted $CaNi_5$-type alloys 835
Z.P. Li, S. Suda (Tokyo, Japan)

The effect of particle size and surface composition on the reaction rates of some hydrogen storage alloys 841
J. Murray, H. Miller, P. Bird, A.J. Goudy (West Chester, USA)

Effects of nickel coating on the properties of metal hydride electrodes 846
C.-N. Park, M.-H. Chang (Kwangju, South Korea)

The characteristics of the microencapsulated Ti–Ni alloys and their electrodes 852
L. Jian, G. Xueping, S. Deying, Z. Yunshi, Y. Shihai (Tianjin, People's Republic of China)

The formation of excited H species using metal hydrides 856
Yu.F. Shmal'ko (Kharkov and Kiev, Ukraine), M.V. Lototsky, Y.V. Klochko (Kharkov, Ukraine), V.V. Solovey (Kharkov and Kiev, Ukraine)

Hydrogen purification using fluorinated $LaNi_{4.7}Al_{0.3}$ alloy 860
X.-L. Wang, K. Iwata, S. Suda (Tokyo, Japan)

Hydrogen purification with metal hydride sintered pellets using pressure swing adsorption method 865
T. Saitou, K. Sugiyama (Oita, Japan)

Applications; Thermodynamic Devices

Heat and mass transfer in coupled hydride reaction beds 871
A. Isselhorst (Stuttgart, Germany)

Cyclic stability of various application-relevant metal hydrides 880
G. Friedlmeier, A. Manthey, M. Wanner, M. Groll (Stuttgart, Germany)

Two-stage metal hydride heat transformer laboratory model 888
A. Isselhorst, M. Groll (Stuttgart, Germany)

The characterization of Ti– and Ca–MH systems in the high temperature chemical heat pump for gas-cooled reactor applications 895
S. Ishiyama, H. Ugachi, M. Eto (Sirakata, Japan)

Characteristics of a hydrogen-absorbing alloy developed for a portable fuel cell 898
Y. Nakamura, H. Nakamura, S. Fujitani, I. Yonezu, T. Saito, N. Nishizawa, M. Tsutsumi (Osaka, Japan)

Series of metal hydride high pressure hydrogen compressors 903
V.V. Solovey (Kharkov and Kiev, Ukraine), A.I. Ivanovsky, V.I. Kolosov (Kharkov, Ukraine), Yu.F. Shmal'ko (Kharkov and Kiev, Ukraine)

Metal hydride compressor and its application in cryogenic technology 907
Z. Feng, B. Deyou, J. Lijun, Z. Liang, Y. Xiaoyu, Z. Yiming (Beijing, People's Republic of China)

Author Index of Volume 231 911

Subject Index of Volume 231 913

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

JOURNAL OF ALLOYS AND COMPOUNDS

(Formerly Journal of the Less-Common Metals)

Editor-in-Chief
Professor K. H. J. Buschow
Van der Waals-Zeeman Laboratorium
Universiteit van Amsterdam
Valckenierstraat 65
1018 XE Amsterdam, Netherlands
Fax: + 31 (20) 525 5788
e-mail: buschow@phys.uva.nl

Editors
Professor G.-Y. Adachi
Osaka University
Faculty of Engineering
Dept. of Applied Chemistry
Yamadakami/Suita
Osaka 565, Japan
Fax: + 81 (6) 8774728
e-mail: adachi@chem.eng.osaka-u.ac.jp

Professor H. F. Franzen
Iowa State University
Dept. of Chemistry & Ames Lab
Ames, IA 50011, USA
Fax: + 1 (515) 294-5718
e-mail: franzen@ameslab.gov

Honorary Editors
Professor J. W. Christian
Oxford University
Dept. of Metallurgy & Sci. of Materials
Parks Road
Oxford, UK

Professor Ch. J. Raub
Waldsiedlung 17
D-73525 Schwäbisch Gmünd
Germany

Editorial Advisory Board
A. V. Andreev
Ural State University
Permanent Magnets Laboratory
620083 Ekaterinburg
Russian Federation

B. Baranowski
Inst. of Physical Chemistry
ul. Kasprzaka 44/52
01224 Warsaw, Poland

W. Bronger
Technische Hochschule Aachen
Inst. Anorganische Chemie
Templergraben 55
D-52056 Aachen, Germany

F. J. Di Salvo
Cornell University
Baker Laboratory
Dept. of Chemistry
Ithaca, NY 14853, USA

J. Etourneau
Université de Bordeaux I
Institut de Chimie de la Matière
Condensée de Bordeaux
(ICMCB), CNRS
351 cours de la Libération
F-33405 Talence Cedex, France

T. B. Flanagan
The University of Vermont
Dept. of Chemistry
Cook Physical Science Bldg.
Burlington, VT 05405, USA

F. H. Froes
Institute for Materials and Advanced Processing
University of Idaho
Moscow, ID 83843-4140, USA

D. Gignoux
Laboratoire Louis Néel
C.N.R.S., B.P. 166X
38042 Grenoble Cedex, France

I. R. Harris
University of Birmingham
Dept. Phys. Metallurgy & Sci. Materials
Edgbaston
Birmingham B15 2TT, UK

H. Jacobs
Universität Dortmund
Lehrstuhl Anorg. Chemie I
D-44221 Dortmund, Germany

D. C. Johnson
Dept. of Chemistry
University of Oregon
Eugene, OR 97403, USA

M. G. Kanatzidis
Michigan State University
Dept. of Chemistry
East Lansing, MI 48824-1322, USA

F. D. Manchester
University of Toronto
Dept. of Physics
60 St. George Street
Toronto, Ont. M5S 1A7, Canada

G. Miller
Dept. of Chemistry
Iowa State University
Ames, IA 50011, USA

A. P. Miodownik
University of Surrey
Dept. of Materials Science & Eng.
Guildford, Surrey GU2 5XH, UK

C. E. Myers
S.U.N.Y.
University Center at Binghamton
Dept. of Chemistry
P.O. Box 6000
Binghamton, NY 13902-6000, USA

R. Nesper
Anorganisch Chemie
ETH Zentrum, CAB C18.2
8092 Zurich, Switzerland

D. E. Peterson
Los Alamos National Laboratory
Superconductivity Technology Center
Mailstop K763
Los Alamos, NM 87545, USA

K. R. Poeppelmeier
Northwestern University
Dept. of Chemistry
2145 Sheridan Road
Evanston, IL 60208-3113, USA

B. Predel
MPI für Metallforschung
Werkstoffwissenschaft
Seestrasse 75
D-70174 Stuttgart, Germany

J. Rouxel
Université de Nantes – CNRS
Nantes, France

L. Schultz
IFW Dresden e.V.
Institut für Metallische Werkstoffe
Postfach
D-01171 Dresden, Germany

V. Sechovsky
Department of Metal Physics
Charles University
Ke Kaarlovu 5
121 16 2 Prague 2
Czech Republic

J. L. Smith
Los Alamos National Lab.
Materials Sci. & Techn. Div.
Mail Stop K763
Los Alamos, NM 87545, USA

K. Suzuki
Tokohu University
Inst. for Materials Research
Katahira 2-1-1/Aoba-ku
Sendai 980, Japan

T. Yamase
Tokyo Inst. of Technology
4259 Nagatsuda, Midoriku
Yokohama 227, Japan

Scope

Papers and communications should be concerned with the chemistry, metallurgy, physics or inter-related aspects of alloys and compounds or their applications.

Types of Contributions

- original research work not already published
- plenary lectures and/or individual papers given at conferences
- review articles; authors should first consult one of the Editors
- letters
- book reviews

Contributions are accepted on the understanding that the authors have obtained any necessary authority for publication.

Frequency

Sixteen volumes per year, two issues per volume.

Subscription Information 1996

Volumes 232–247, each volume containing 2 issues, are scheduled for publication. Prices are available from the publishers upon request. Subscriptions are accepted on a prepaid basis only. Issues are sent by SAL (Surface Air Lifted) mail wherever this service is available. Airmail rates are available upon request. Please address all requests regarding orders and subscription queries to:

ELSEVIER SCIENCE S.A.
P.O. Box 564, 1001 Lausanne, Switzerland
Telephone: + 41 (21) 320 73 81
Fax: + 41 (21) 323 54 44
Telex: 450.620 ELSA CH

Customers in the United States and Canada may obtain information from:

ELSEVIER SCIENCE INC.
Attn.: Journal Information Center, 655 Avenue of the Americas
New York, NY 10010, USA
Telephone: (212) 633-3750
Fax: (212) 633-3764
Telex: 420-643 AEP UI

USA mailing info: *Journal of Alloys and Compounds* (ISSN 0925-8388) is published semimonthly by Elsevier Science S.A. (P.O. Box 564, 1001 Lausanne). Annual subscription price in the USA is US$ 5902.00 (valid in North, Central and South America), including air speed delivery. Second class postage rate is paid at Jamaica, NY 11431.

USA POSTMASTER: Send address changes to *Journal of Alloys and Compounds*, Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003. **AIRFREIGHT AND MAILING** in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

Journal of
ALLOYS
AND COMPOUNDS
An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics

Volume 231 (1995)